

10/534003

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptaul55fxt

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 JUL 20 Powerful new interactive analysis and visualization software,
STN AnaVist, now available
NEWS 4 AUG 11 STN AnaVist workshops to be held in North America
NEWS 5 AUG 30 CA/Capplus - Increased access to 19th century research documents
NEWS 6 AUG 30 CASREACT - Enhanced with displayable reaction conditions
NEWS 7 SEP 09 ACD predicted properties enhanced in REGISTRY/ZREGISTRY
NEWS 8 OCT 03 MATHDI removed from STN
NEWS 9 OCT 04 CA/Capplus-Canadian Intellectual Property Office (CIPO) added
to core patent offices
NEWS 10 OCT 06 STN AnaVist workshops to be held in North America
NEWS 11 OCT 13 New CAS Information Use Policies Effective October 17, 2005
NEWS 12 OCT 17 STN(R) AnaVist(TM), Version 1.01, allows the export/download
of Capplus documents for use in third-party analysis and
visualization tools
NEWS 13 OCT 27 Free KWIC format extended in full-text databases
NEWS 14 OCT 27 DIOGENES content streamlined
NEWS 15 OCT 27 EPFULL enhanced with additional content
NEWS 16 NOV 14 CA/Capplus - Expanded coverage of German academic research

NEWS EXPRESS JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 16:05:01 ON 14 NOV 2005

=> set plurals on perm
SET COMMAND COMPLETED

=> set abbr on pemrm
'ON PEMRM' IS NOT VALID HERE
For an explanation of the SET command, enter "HELP SET" at an arrow
prompt (=>).

=> set abbr on perm
SET COMMAND COMPLETED

=> file japio caplus inpadoc
COST IN U.S. DOLLARS
FULL ESTIMATED COST

	SINCE FILE ENTRY	TOTAL SESSION
	0.21	0.21

FILE 'JAPIO' ENTERED AT 16:05:41 ON 14 NOV 2005
COPYRIGHT (C) 2005 Japanese Patent Office (JPO)- JAPIO

FILE 'CAPLUS' ENTERED AT 16:05:41 ON 14 NOV 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'INPADOC' ENTERED AT 16:05:41 ON 14 NOV 2005
COPYRIGHT (C) 2005 European Patent Office, Vienna (EPO)

=> s jp 119968/73/app
'APP' IS NOT A VALID FIELD CODE
'APP' IS NOT A VALID FIELD CODE
'APP' IS NOT A VALID FIELD CODE
L1 0 JP 119968/73/APP

=> s jp 73-119968/apps
L2 3 JP 73-119968/APPS

=> d l2 1-3 all

L2 ANSWER 1 OF 3 JAPIO (C) 2005 EPO on STN
AN 1975-071800 JAPIO
PI JP 50071800 A 19750613 Showa
AI JP 1973-119968 (JP48119968 Showa) 19731026
PRAI JP 1973-11996819731026
SO INPADOC
IC ICM C08G061-08

L2 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1975:564871 CAPLUS
DN 83:164871
ED Entered STN: 12 May 1984
TI Polymerizing norbornene derivatives
IN Uejima, Takashi; Tanaka, Yasuji; Kurosawa, Shigeru; Kobayashi, Shoichi
PA Showa Denko K. K., Japan
SO Jpn. Kokai Tokkyo Koho, 13 pp.
CODEN: JKXXAF
DT Patent
LA Japanese
IC C08G
CC 35-4 (Synthetic High Polymers)
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 50071800	A2	19750613	JP 1973-119968	19731026 <--
PRAI	JP 1973-119968	A	19731026	<--	

CLASS

PATENT NO. CLASS PATENT FAMILY CLASSIFICATION CODES

JP 50071800 IC C08G

AB Norbornene derivs. containing ≥ 1 ether group were polymerized in the presence of an organoaluminum compound, a W and(or) Mo compound, and optionally water, a peroxide, epoxide, halide, acetal, ortho acid ester or alc. Thus, 100 volume parts 5-methoxybicyclo[2.2.1]hept-2-ene (I), 200 volume parts PhMe, and 1 mole% (on I) WCl₆ [13283-01-7] were mixed with 4 mole% (on I) Et₂AlCl [96-10-6] with cooling and the mixture was kept 24 hr at 15°, treated with 0.5% bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane, and poured into 2000 volume parts MeOH containing 5 volume% concentrated HCl to give 23.4% pale yellow polymer [56663-05-9] of intrinsic viscosity 0.37 (0.1 g/dl PhMe at 30°).

ST norbornene deriv polymn catalyst; aluminum compd polymn catalyst; molybdenum compd polymn catalyst; tungsten compd polymn catalyst

IT Polymerization catalysts
(ethylaluminum chloride-tungsten chloride, for methoxybicycloheptene)

IT 13283-01-7
RL: CAT (Catalyst use); USES (Uses)
(catalysts, containing ethylaluminum chloride, for polymerization of methoxybicycloheptene)

IT 96-10-6, uses and miscellaneous
RL: CAT (Catalyst use); USES (Uses)
(catalysts, containing tungsten chloride, for polymerization of methoxybicycloheptene)

IT 56663-05-9P
RL: IMF (Industrial manufacture); PREP (Preparation)
(manufacture of, catalysts for)

L2 ANSWER 3 OF 3 INPADOC COPYRIGHT 2005 EPO on STN

LEVEL 1

AN 4597749 INPADOC

DT Patent

PIT JPA2 DOCUMENT LAID OPEN TO PUBLIC INSPECTION

PI JP 50071800 A2 19750613

AI JP 1973-119968 A 19731026

PRAI JP 1973-119968 A 19731026

OSCA 083:164871

OSDW 75-63129W

ICM () C08G061-08

=> s jp 73-123329/apps

L3 7 JP 73-123329/APPS

=> d 13 1-7 all

L3 ANSWER 1 OF 7 JAPIO (C) 2005 EPO on STN

AN 1975-075300 JAPIO

PI JP 50075300 A 19750620 Showa

AI JP 1973-123329 (JP48123329 Showa) 19731105

PRAI JP 1973-123329 19731105

SO INPADOC

IC ICM C08G061-08

L3 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2005 ACS on STN

AN 1975:532320 CAPLUS

DN 83:132320

ED Entered STN: 12 May 1984

TI Polymerization of norbornene derivatives

IN Kurosawa, Shigeru; Ueshima, Takashi; Kobayashi, Shoichi

PA Showa Denko K. K., Japan

SO Ger. Offen., 68 pp.
 CODEN: GWXXBX
 DT Patent
 LA German
 IC C08F
 CC 35-4 (Synthetic High Polymers)
 FAN. CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 2452461	A1	19750507	DE 1974-2452461	19741105 <--
	DE 2452461	B2	19790621		
	DE 2452461	C3	19800221		
	JP 50075300	A2	19750620	JP 1973-123329	19731105 <--
	US 3959234	A	19760525	US 1974-520096	19741101 <--
	GB 1482993	A	19770817	GB 1974-47624	19741104 <--
	FR 2249913	A1	19750530	FR 1974-36699	19741105 <--
	FR 2249913	B1	19800425		
PRAI	JP 1973-123329	A	19731105	<--	

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
DE 2452461	IC	C08F
US 3959234	NCL	526/092.000; 260/DIG.043; 526/108.000; 526/109.000; 526/110.000; 526/114.000; 526/138.000; 526/142.000; 526/143.000; 526/153.000; 526/159.000; 526/169.000; 526/208.000; 526/209.000; 526/213.000; 526/230.000; 526/259.000; 526/280.000; 526/281.000; 526/291.000; 526/308.000 <--

GI For diagram(s), see printed CA Issue.

AB Polymers with good strength and adhesion and high m.p. are prepared by ring-opening polymerization of norbornene derivative imides in the presence of

Al alkyls and W and/or Mo compds. Thus, stirring 100 parts N-methyl-exo-5-norbornene-2,3-dicarboximide, 300 parts ClCH₂CH₂Cl, 1 mole % WCl₆ [13283-01-7], and 6 mole % Et₂AlCl [96-10-6] 24 hr at 50° gives 52.4% polymer (I) [56420-88-3], reduced viscosity (DMF, 30°) 0.38 dl/g. Similarly-prepared I has Izod impact strength 18.45 kg-cm/cm, tensile strength 506 kg/cm², and elongation 5.9%.

ST norbornenedicarboximide polymn catalyst; imide norbornene polymn; aluminum alkyl catalyst; tungsten hexachloride catalyst; ring cleavage polymn norbornenedicarboximide

IT Polymerization catalysts
 (aluminumalkyl-transition metal compds., for norborneneimides)

IT Ring cleavage
 (in polymerization, of norborneneimides)

IT Polymerization
 (ring cleavage and, of norborneneimides)

IT 64-17-5, uses and miscellaneous 71-36-3, uses and miscellaneous
 75-56-9, uses and miscellaneous 78-95-5 94-36-0, uses and
 miscellaneous 105-57-7 107-07-3, uses and miscellaneous 110-05-4
 122-51-0 507-20-0 7732-18-5

RL: CAT (Catalyst use); USES (Uses)
 (catalysts, containing aluminum alkyls and transition metal compds., for polymerization of norborneneimides)

IT 4503-97-3 10241-05-1 13283-01-7 17524-05-9

RL: CAT (Catalyst use); USES (Uses)
 (catalysts, containing aluminum alkyls, for polymerization of norborneneimides)

IT 96-10-6, uses and miscellaneous 97-93-8, uses and miscellaneous
 563-43-9, uses and miscellaneous 871-27-2 12075-68-2 51310-92-0

RL: CAT (Catalyst use); USES (Uses)
 (catalysts, containing transition metal compds., for polymerization of norborneneimides)

IT 31533-50-3P 56385-41-2P 56385-43-4P 56420-89-4P 56420-91-8P
 56420-93-0P 56420-94-1P 56552-69-3P
 RL: IMF (Industrial manufacture); PREP (Preparation)
 (manufacture of, catalyst for)

IT 56384-97-5P 56384-99-7P 56385-01-4P 56385-03-6P 56385-45-6P
 56385-47-8P 56385-49-0P 56385-51-4P 56385-53-6P 56385-55-8P
 56385-57-0P 56385-59-2P 56385-61-6P 56385-63-8P 56385-65-0P
 56385-67-2P 56385-69-4P 56385-71-8P 56420-88-3P 56452-56-3P
 56452-57-4P 56452-58-5P
 RL: IMF (Industrial manufacture); PREP (Preparation)
 (manufacture of, catalysts for)

IT 5763-44-0D, Cyclopenta[c]pyrrole-1,3(2H,3aH)-dione, tetrahydro-, polymers
 RL: USES (Uses)
 (manuf.of, catalysts for)

L3 ANSWER 3 OF 7 INPADOC COPYRIGHT 2005 EPO on STN

LEVEL 1

AN 25127044 INPADOC
 TI METHOD OF POLYMERIZING IMIDE TYPE NORBORNENE DERIVATIVES.
 PA SHOWA DENKO KK
 PAS SHOWA DENKO KK
 DT Patent
 PIT GBA PATENT SPECIFICATION
 PI GB 1482993 A 19770817
 AI GB 1974-47624 A 19741104
 PRAI **JP 1973-123329 A 19731105**
 ICM () C08G061-08
 NCL C3P

L3 ANSWER 4 OF 7 INPADOC COPYRIGHT 2005 EPO on STN

LEVEL 3

AN 10980386 INPADOC
 TI VERFAHREN ZUR RINGOEFFNENDEN POLYMERISATION VON IMIDTYP-
 NORBORNENDERIVATEN.
 IN KUROSAWA, SHIGERU; UESHIMA, TAKASHI; KOBAYASHI, SHOICHI
 INS KUROSAWA SHIGERU; UESHIMA TAKASHI; KOBAYASHI SHOICHI
 INA JP; JP; JP
 PA SHOWA DENKO K.K., TOKIO
 PAS SHOWA DENKO KK
 DT Patent
 PIT DEC3 PATENT SPECIFICATION (THIRD PUBL.)
 PI DE 2452461 C3 19800221
 AI DE 1974-2452461 A 19741105
 PRAI **JP 1973-123329 A 19731105**
 ICM (3) C08G061-08
 ICS (3) C08F032-08

L3 ANSWER 5 OF 7 INPADOC COPYRIGHT 2005 EPO on STN

LEVEL 1

AN 9832007 INPADOC
 TI METHOD OF POLYMERIZING CARBONIMIDE NORBORNENE DERIVATIVES.
 IN KUROSAWA, SHIGERU; UESHIMA, TAKASHI; KOBAYASHI, SHOICHI
 INS KUROSAWA SHIGERU; UESHIMA TAKASHI; KOBAYASHI SHOICHI
 PA SHOWA DENKO KABUSHIKI KAISHA
 PAS SHOWA DENKO KK
 DT Patent
 PIT USA UNITED STATES PATENT
 PI US 3959234 A 19760525
 AI US 1974-520096 A 19741101
 PRAI **JP 1973-123329 A 19731105**

ICM () C08G069-00
NCL 260 78UA

L3 ANSWER 6 OF 7 INPADOC COPYRIGHT 2005 EPO on STN

LEVEL 2

AN 5008260 INPADOC
PA SHOWA DENKO KK
PAS SHOWA DENKO KK
PAA JP
DT Patent
PIT FRB1 PATENT OF INVENTION (SECOND PUBLICATION)
PI FR 2249913 B1 19800425
AI FR 1974-36699 A 19741105
PRAI JP 1973-123329 A 19731105
ICM () C08G061-08

L3 ANSWER 7 OF 7 INPADOC COPYRIGHT 2005 EPO on STN

LEVEL 1

AN 4653749 INPADOC
DT Patent
PIT JPA2 DOCUMENT LAID OPEN TO PUBLIC INSPECTION
PI JP 50075300 A2 19750620
AI JP 1973-123329 A 19731105
PRAI JP 1973-123329 A 19731105
ICM () C08G061-08